

DS24T

Digital Panel Discussion Stand



10" Panelist Screen

24"

24" Front Display
Built-in player and CMS



5" Panelist Timer Display



7" Touch Timer Controller



Shure 18" Gooseneck
Condenser Microphone



Multimedia Output



Wireless Charger



End warning, send signal
to the speakers

The Ultimate Digital Panel Discussion Stand

Stage-X, designed to transform the way you conduct and experience discussions. Built with precision, innovation, and the needs of today's professionals in mind, the Stage-X seamlessly blends functionality, aesthetics, and cutting-edge technology to offer a truly unparalleled experience.



24" Full HD Digital Signage Screen


At the forefront of the Stage-X is a 24-inch digital signage display that serves as the perfect canvas for your content. This large, vibrant screen is ideal for displaying essential information, branding, or live feeds, ensuring that your audience remains informed and engaged.

FULL HD



10" Panelist Display

The Stage-X digital panel discussion stand comes equipped with a 10-inch panelist display, providing a clear and intuitive interface for each participant. The Stage-X features a 10-inch display, giving panelists a clear view of presentations and time tracking. Positioned for easy visibility, it ensures panelists stay engaged with the large display behind them.



5" Speaker Timer

Time management is crucial during panel discussions, and the Stage-X helps you stay on track with its integrated 5-inch digital timer. This timer is prominently displayed for easy visibility, allowing panelists and moderators to keep track of their allotted time effortlessly.

Top

Shock mount XLR

Mute switch/LED

18" Shure gooseneck microphone

Panelist display

Wireless presentation timer

Panelist Display Power On/Off

Wireless Charger
USB and Type-C Charger

Cup holder




Rear Panel

Microphone Storage Tube

The Stage-X includes a convenient storage tube located at the back of the stand, designed to securely hold the microphone when not in use

Accessory Storage Drawer

The Stage-X is designed with practicality in mind, featuring a discreet drawer on the back side for storing the wireless timer controller and other accessories.



ST-300WM

Stage-X Wireless Timer Controller

Flexibility and control are at the heart of the Stage-X experience. With the included ST-300WM wireless 7" touch timer controller, moderators can manage the panelist stand's timer remotely from anywhere in the room. This remote control allows for on-the-fly adjustments to the timer, making it easy to extend or shorten speaking times as needed

7" Touch Timer Controller



5" Panelist Timer Display



The controller is user-friendly, with a simple interface that ensures smooth operation even in the heat of the moment. This feature empowers moderators to maintain the event's schedule without having to approach the stand, ensuring a seamless and professional flow.

The timer can be preset to different durations, ensuring flexibility for various discussion formats. It also features a countdown and alert system, helping to maintain the flow of the event without disruptions.


ST-300WM CONTROLLER SCREEN

If you need to interrupt the speech for any reason, you can stop the timer and resume it by pressing the Play button.


The timer located on the platforms is synchronized with the control panel.

You can check the signal strength of your connection by looking at the signal icon in the upper right corner of your screen.

Controller Screen




Settings



- Speak - Green: 80% of the entire speech
- Sum-up - Orange: The speaker is reminded to end
- End - Red: To remind the speaker to stop talking

ACTIVE SCREEN




INACTIVE SCREEN



Microphone

Shure 18" Gooseneck condenser microphone



Audio quality is paramount in any panel discussion, and the Stage-X excels in this area with its 18-inch Shure gooseneck microphone.

Known for its industry-leading performance, this microphone captures clear and crisp audio, ensuring that every word spoken is heard with precision.

The gooseneck design allows for easy adjustment, so panelists can position the microphone at the optimal angle for their comfort. Whether in a large auditorium or an intimate conference room, the Shure microphone delivers consistent, professional-grade sound.



Shure A400SMXLR Shock Mount


Additionally, the microphone features a shock mount XLR socket, providing enhanced stability and sound quality by minimizing handling noise.




Wireless Mobile Phone Charger



The Stage-X stand includes a wireless mobile phone charger with additional USB and Type-C ports, providing versatile charging options for all panelists. This feature ensures that devices stay powered up throughout the event, offering both convenience and flexibility without the clutter of cables.

 **Effortless Charging:**
Bid farewell to the hassle of cables and outlets. Integrated wireless charger ensures that your devices stay powered up throughout your presentation, providing a seamless experience for both you and your audience.

 **Versatile Compatibility:**
Compatible with a wide range of devices, our wireless charger supports the latest smartphones, tablets, and other Qi-enabled gadgets.

Digital Panel Discussion Stand

Panelist Display	DS24T
Screen Size	10,1"
Resolution	1024 x 600
Active Display Area	216.6 x 135.4mm
Brightness	320cd/m ²
Aspect ratio	16:9
Digital signal input	1 x HDMI

Front Panel

Screen Size	24"
Resolution	1920x1080 FHD
Brightness	250 cd/m ²
Signage Player	Built-in Digital Signage Media Player
Content Management Software	Samsung MagicInfo
Active Display Area(mm)	527.04 (H) x 296.46 (V)

Transmitter & Receiver Specifications

Maximum number of Stand Display	Manage up to 10 timer screen
Wireless Connection	802.11 LR - 2.4 ghz
Wireless Connection Range	50 mt - 164 ft in clear field
Local or Remote Mode Selection	Adjustable via 5" Podium Display

Other Specifications

Stand Material	Metal carcass with wooden coverage
Colour	White
Screen Protection	Extra clear tempered glass
Power outlet socket	110V - 220V power outlet
Wireless Charger	Available

Microphone

Length	18"
Output Connector	3-way XLR (Male)
Microphone Type	Cardioid
Power ON indicator	LED
Power requirement	Phantom Power (48V)

Mechanical Feature

Dimension - LWH	700 X 400 X 660 mm - 30" X 15" X 25"
Weight	41 kg - 90 lb

ST-300WM Wireless Timer Controller

Timer Controller	
Screen Size	7"
Resolution	800x480 pixel
Touch type	Capacitive
Brightness	300nit
Backlight lifetime (Average)	30,000 Hours



Europe

Temas Technology Co.Ltd.

Serifali Mh, Bayraktar Bulvari, Kible Sk,
No: 29 - 34775 Umraniye
Istanbul - TURKIYE

Tel: +90 216 314 54 54
info@temastechnology.com

USA

Temas Technology LLC

11417 Irving Park Rd, Suite No. B-9-4
Franklin Park, 60131-3882,
Illinois - USA

Tel: +1 630 489 6994
sales@temastechnology.com

www.temastechnology.com